



Università degli Studi di Bari
Dipartimento di Scienze Economiche e Metodi
Matematici

Southern Europe Research in Economic Studies
S.E.R.I.E.S.

WORKING PAPER No. 0019

Comparison of Mean-Variance Theory and
Expected-Utility Theory through a Laboratory
Experiment

Andrea Morone

SERIES e MATEF sono pubblicati a cura del Dipartimento di Scienze economiche dell'Università degli Studi di Bari.
I lavori riflettono esclusivamente le opinioni degli autori e non impegnano la responsabilità del Dipartimento.
SERIES e MATEF vogliono promuovere la circolazione di studi ancora preliminari e incompleti, per suscitare commenti critici e suggerimenti.
Si richiede di tener conto della natura provvisoria dei lavori per eventuali citazioni o per ogni altro uso.

SERIES and MATEF are published under the auspices of the Department of Economics of the University of Bari.
Any opinions expressed here are those of the authors and not those of the Department.
Often SERIES and MATEF divulge preliminary or incomplete work, circulated to favor discussion and comment.
Citation and use of these paper should consider their provisional character.

Comparison of Mean-Variance Theory and Expected-Utility Theory through a Laboratory Experiment[♥]

Andrea Morone
Università degli Studi di Bari, Dipartimento di Scienze Economiche

a.morone@gmail.com

October 2007

Abstract

In the 40's and early 50' two decision theories were proposed and have since dominated the scene of the fascinating field of decision-making. In 1944 – when von Neumann and Morgenstern showed that if preferences are consistent with a set of axioms then it is possible to represent these preferences by the expectation of some utility function – Expected Utility theory provides a natural way to establish “measurable utility”. In the early 50's Markowitz introduced the Mean-Variance theory that is the basis of modern portfolio selection theory. Even if both models were analyzed from virtually all possible points of view; although they were tested against several generalizations; even though they seem to be the most attractive theories of decision making, they were never tested against each other. This paper will try to fill this gap. It investigates, using experimental data, which of these two models represent a better approximation of subjects' preferences.

Keywords: Expected utility, Mean variance, preference functional, pair wise choice, experiments.

JEL Classification: C92, G12

[♥] A preliminary version of the paper was presented at the “Random Utility 2000: Workshop and Conference on Random Utility Theory and Probabilistic Measurement Theory”, Fuqua School of Business, Duke University.

1. Introduction

This paper is motivated by simple questions: why, in two different branches of Economics, do two different preference functionals dominate the scene? Does Expected Utility perform significantly better than mean variance? Do we have a loss of accuracy if we use Mean Variance instead of Expected Utility?

Expected Utility leads the field of decision making in Economics because, since 1944 – when von Neumann and Morgenstern showed that if preferences are consistent with a set of axioms then it is possible to represent these preferences by the expectation of some utility function – Expected Utility provides a natural way to establish “measurable utility”: it is a simple and elegant way to derive utility cardinality.

Mean Variance leads the field of decision making in Financial Economics. It was developed in the 50’s and 60’s by Markowitz (1952), Tobin(1958), Sharpe (1964) among others. It is an important model of investment based on decision theory. Actually, it is the simplest model of investment that is sufficiently rich to be directly useful in applied problems. And probably, more important, it does not need any assumptions on subjects’ utility function.

It is clear that both models have nice desirable properties. It is, also, rather obvious that Expected Utility should perform better than Mean Variance. Indeed, it is a more general model (Levy and Markowitz (1979), Kroll et al. (1984)). And, finally, we should expect that using Mean Variance instead of Expected Utility, we have to accept a loss in accuracy. But what is rather striking is that neither the presumed superiority of Expected Utility nor the accuracy loss of Mean Variance has

been systematically investigated. The aim of the present paper is to fill this gap. In a certain sense, we are addressing three trivial questions, which until now have no answers.

In section 2, we briefly describe the data, which we used to estimate the three preference functionals. Section 3 illustrates the features of the preference functionals analyzed and presents the estimation procedures. Section 4 discusses the estimation results. Finally, results are presented and discussed in section 5.

2. The data

Much effort has been expended to produce a better theory of decision making under risk than that provided by EU. Therefore, there is now an abundant literature that compares EU with a number of its generalizations (e.g. Harless and Camerer (1994), Hey and Orme (1994), Hey (1995, 2001)). It seems fairly natural to follow one of these approaches to compare MV and EU. We decided to follow Hey and Orme's approach. Thus we need a set of pair-wise choice questions. Each pair-wise choice is composed by two lotteries, labeled "Left Gamble" and "Right Gamble". Each subject has to report his preference between the two lotteries. The incentive mechanism is that the preferred lottery is played for real.

The enormous activity of this branch of experimental economics makes it useless to run our own pair-wise choice question experiment, since we can address our questions using a data set from a previous experiment¹.

¹ I have to thank John Hey for letting me use one of his experiments data set. A more detailed presentation of the experimental design can be found in Hey (2001).

The experiment took place in the EXEC laboratory at the University of York with 53 participants. Each participant had to attend five separate treatments, Set 1, Set 2, Set 3, Set 4 and Set 5. Each of the five treatments was composed by the same 100 pair-wise choice questions, with different chronological order, and randomized left/right position. The pair-wise choice questions were presented in the form of segmented circles, and subjects were asked to report, for each pair, their preferences.

The 100 questions were composed by three of the following four outcomes: -£25, £25, £75, and £125. One of these four outcomes involves a negative pay-off, this would increase the incentive power of the experiment, but because we did not want any subject to experience a real monetary loss, we gave all subjects a participation fee of £25 for attending all the 5 sessions of the experiment. In table 1 are reported the 100 pair-wise choice questions.

The lotteries were presented as segmented circles on the computer screen. Figure 1 presents an example. If a subject received a particular lottery as reward he or she had to spin a wheel on the corresponding circle. The amount won was then determined by the segment of the circle in which the arrow on the wheel stopped.




Figure 1: Representative Choice-Lottery pie-charts

3. Some notes on estimation techniques

The estimation of the parameters of the utility function from pairwise choice data follows Hey and Orme (1994). Lets indicate the two lotteries in the pairwise choice by L and R; then, assuming that there is no noise or error in the subject's responses, on one hand she/he will report a preference for L, if and only if $Eu(L) > Eu(R)$ - that is, if and only if $E[u(L) - u(R)] > 0$. On the other hand he/she will report a preference for R, if and only if $Eu(L) < Eu(R)$ - that is, if and only if $E[u(L) - u(R)] < 0$. However, as we know from the existing literature, subjects' responses are typically affected by noise. If we denote this noise or measurement error by ε , then the subject will report a preference for L, if and only if $E[u(L) - u(R)] + \varepsilon > 0$, that is, if and only if $\varepsilon > E[u(R) - u(L)]$. He or she will report a preference for R, if and only if $E[u(L) - u(R)] + \varepsilon < 0$, that is, if and only if $\varepsilon < E[u(R) - u(L)]$. Following this line of reasoning we can now write the probability that the subject reports a preference for L as: $\text{Prob}\{\varepsilon > E[(R) - u(L)]\}$, and the probability that he or she reports a preference for R as: $\text{Prob}\{\varepsilon < E[(R) - u(L)]\}$. Given the actually reported preferences we will proceed to the estimation of the parameters using maximum likelihood methods. To do so we need to specify the distribution of the measurement error. "Such error may arise from a variety of sources: the subject could misunderstand the nature of the experiment; they could press the wrong key by accident; they could be in a hurry to complete the experiment; they could be motivated by something other than maximizing their welfare from participating in the experiment. For rather obvious reasons, we confine attention to what we might term 'genuine' error – mistakes, carelessness, slips, inattentiveness, etc. – and we make what is possibly the most natural assumption for an economist to make: namely that the effect of such error is to add a white noise, normally distributed, zero-mean error term to the valuations given by the various preference functionals."² As noted by Hey and Orme (1994), the magnitude of s measures the noisiness of the subject's responses: if $s = 0$ then the subject makes no mistakes - as s increases, the noise gets larger and larger. In the limit, when s is in infinite, there is no information content in the subject's responses.

² Hey and Orme (1994) pp.1300-1301.

Note that when estimating a utility function from an experiment, there are two usual approaches: (a) to assume a particular functional form and estimate the parameters of that form; or (b) to estimate the utility at the various outcome values used in the experiment. In the experiment there were four outcome values (-£25, £25, £75, and £125) which we denote by x_1, x_2, x_3 and x_4 . If we adopt the usual normalisation, we put $u_1 = 0$ and $u_4 = 1$, where we denote $u(x_i)$ by u_i . This means that, following approach (b), we simply estimate u_2 and u_3 .

Question Number	Choice 1				Choice 2				Question Number	Choice 1				Choice 2			
	p_1	p_2	p_3	p_4	Q_1	q_2	Q_3	Q_4		p_1	p_2	p_3	p_4	q_1	q_2	q_3	Q_4
1	0	0	0.875	0.125	0	0.125	0	0.875	51	0	0.750	0	0.250	0.250	0.375	0	0.375
2	0	0	0.875	0.125	0	0.125	0	0.875	52	0	0.750	0	0.250	0.375	0.125	0	0.500
3	0	0	0.875	0.125	0	0.125	0.500	0.375	53	0	0.750	0	0.250	0.625	0	0	0.375
4	0	0	0.875	0.125	0	0.375	0	0.625	54	0	0.875	0	0.125	0.250	0.375	0	0.375
5	0	0	0.875	0.125	0	0.375	0.125	0.500	55	0	0.875	0	0.125	0.375	0.125	0	0.500
6	0	0	0.875	0.125	0	0.375	0.250	0.375	56	0	0.875	0	0.125	0.500	0.250	0	0.250
7	0	0	0.875	0.125	0	0.625	0	0.375	57	0	0.875	0	0.125	0.625	0	0	0.375
8	0	0.125	0.500	0.375	0	0.375	0	0.625	58	0	0.875	0	0.125	0.625	0.125	0	0.250
9	0	0.125	0.500	0.375	0	0.375	0.125	0.500	59	0.125	0.750	0	0.125	0.250	0.375	0	0.375
10	0	0.125	0.875	0	0	0.375	0	0.625	60	0.125	0.750	0	0.125	0.375	0.125	0	0.500
11	0	0.125	0.875	0	0	0.375	0.125	0.500	61	0.125	0.750	0	0.125	0.500	0.250	0	0.250
12	0	0.125	0.875	0	0	0.375	0.250	0.375	62	0.125	0.750	0	0.125	0.625	0	0	0.375
13	0	0.125	0.875	0	0	0.375	0.500	0.125	63	0.125	0.750	0	0.125	0.625	0.125	0	0.250
14	0	0.125	0.875	0	0	0.625	0	0.375	64	0.125	0.875	0	0	0.250	0.375	0	0.375
15	0	0.125	0.875	0	0	0.875	0	0.125	65	0.125	0.875	0	0	0.375	0.125	0	0.500
16	0	0.250	0.750	0	0	0.375	0	0.625	66	0.125	0.875	0	0	0.500	0.250	0	0.250
17	0	0.250	0.750	0	0	0.375	0.125	0.500	67	0.125	0.875	0	0	0.625	0	0	0.375
18	0	0.250	0.750	0	0	0.375	0.250	0.375	68	0.125	0.875	0	0	0.625	0.125	0	0.250
19	0	0.250	0.750	0	0	0.375	0.500	0.125	69	0.125	0.875	0	0	0.750	0.125	0	0.125
20	0	0.250	0.750	0	0	0.375	0.500	0.125	70	0.125	0.875	0	0	0.875	0	0	0.125
21	0	0.250	0.750	0	0	0.625	0	0.375	71	0.125	0.875	0	0	0.875	0	0	0.125
22	0	0.250	0.750	0	0	0.875	0	0.125	72	0.250	0.375	0	0.375	0.375	0.125	0	0.500
23	0	0.375	0.500	0.125	0	0.625	0	0.375	73	0.500	0.250	0	0.250	0.625	0	0	0.375
24	0	0.125	0.875	0	0	0.250	0.750	0	74	0.500	0.250	0	0.250	0.625	0	0	0.375
25	0	0.375	0.125	0.500	0	0.375	0.250	0.375	75	0	0.750	0	0.250	0.125	0.750	0	0.125
26	0	0	0.500	0.500	0.125	0	0.250	0.625	76	0	0.750	0.250	0	0.125	0	0.875	0
27	0	0	0.500	0.500	0.125	0	0.250	0.625	77	0	0.750	0.250	0	0.125	0.375	0.500	0
28	0	0	0.875	0.125	0.125	0	0.250	0.625	78	0	0.750	0.250	0	0.375	0.125	0.500	0
29	0	0	0.875	0.125	0.125	0	0.625	0.250	79	0	0.750	0.250	0	0.375	0.250	0.375	0
30	0	0	0.875	0.125	0.375	0	0.375	0.250	80	0	0.750	0.250	0	0.500	0	0.500	0
31	0	0	0.875	0.125	0.500	0	0	0.500	81	0	0.750	0.250	0	0.500	0.125	0.375	0
32	0	0	0.875	0.125	0.750	0	0	0.250	82	0	1	0	0	0.125	0	0.875	0
33	0	0	1	0	0.125	0	0.250	0.625	83	0	1	0	0	0.125	0.375	0.500	0
34	0	0	1	0	0.125	0	0.625	0.250	84	0	1	0	0	0.250	0.625	0.125	0
35	0	0	1	0	0.375	0	0.375	0.250	85	0	1	0	0	0.375	0.125	0.500	0
36	0	0	1	0	0.500	0	0	0.500	86	0	1	0	0	0.375	0.250	0.375	0
37	0	0	1	0	0.750	0	0	0.250	87	0	1	0	0	0.500	0	0.500	0
38	0	0	1	0	0.750	0	0	0.250	88	0	1	0	0	0.500	0	0.500	0
39	0	0	1	0	0.750	0	0.125	0.125	89	0	1	0	0	0.500	0.125	0.375	0
40	0.125	0	0.625	0.250	0.500	0	0	0.500	90	0	1	0	0	0.750	0.125	0.125	0
41	0.250	0	0.750	0	0.375	0	0.375	0.250	91	0.250	0.625	0.125	0	0.375	0.125	0.500	0

42	0.250	0	0.750	0	0.500	0	0	0.500	92	0.250	0.625	0.125	0	0.375	0.250	0.375	0
43	0.250	0	0.750	0	0.750	0	0	0.250	93	0.250	0.625	0.125	0	0.500	0	0.500	0
44	0.250	0	0.750	0	0.750	0	0.125	0.125	94	0.250	0.625	0.125	0	0.500	0.125	0.375	0
45	0.375	0	0.375	0.250	0.500	0	0	0.500	95	0.375	0.250	0.375	0	0.500	0	0.500	0
46	0.375	0	0.625	0	0.500	0	0	0.500	96	0.375	0.250	0.375	0	0.500	0	0.500	0
47	0.375	0	0.625	0	0.750	0	0	0.250	97	0.375	0.625	0	0	0.500	0	0.500	0
48	0.375	0	0.625	0	0.750	0	0.125	0.125	98	0.375	0.625	0	0	0.500	0.125	0.375	0
49	0.250	0	0.750	0	0.375	0	0.625	0	99	0.375	0.625	0	0	0.750	0.125	0.125	0
50	0.750	0	0	0.250	0.750	0	0.125	0.125	100	0.375	0.125	0.500	0	0.500	0.125	0.375	0

Table 1: The 100 Pairwise Choice Questions

4. Estimation procedure and preference functionals

Our estimation procedure is similar to the one used by Hey and Orme (1994) which is motivated by two fundamental observations. First, there is not necessarily one best preference functional for all subjects but the behavior of different subjects may be explained best by different functionals. Second, subjects make from time to time errors in their responses which demand a stochastic specification of preference functionals for our empirical test. To take into account the first observation we have estimated the models subject by subject. To take into account the second observation we have added an error term to each preference functional. We assume that errors are identically and independently distributed among subjects and questions.

In our analysis, we will consider three preference functionals:

- Risk Neutral (RN)³;
- Mean Variance (MV);
- Expected Utility (EU).

First some notation, let $\mathbf{x} = \{x_1, x_2, \dots, x_n\}$ be the vector of outcomes; $\mathbf{p} = \{p_1, p_2, \dots, p_n\}$ is the probability vector of the Left Gamble and $\mathbf{q} = \{q_1, q_2, \dots, q_n\}$ the probability vector of the Right Gamble. W denotes the subject's preference function. Therefore, if $W(\mathbf{p}) > W(\mathbf{q})$ Left will be preferred to Right and if $W(\mathbf{p}) < W(\mathbf{q})$ then Right will be preferred to Left.

Altogether subjects' derived preferences are determined by:

³ RN will be a kind of low benchmark

$$W(\mathbf{p}) - W(\mathbf{q}) + \varepsilon,$$

where ε is an error term. We assume that ε is symmetric and has a mean of zero.

The first model, we have estimated, is RN given by

$$RN: W(\mathbf{p}) - W(\mathbf{q}) + \varepsilon = k \sum_{i=1}^n p_i x_i - k \sum_{i=1}^n q_i x_i + \varepsilon.$$

For RN, we have to estimate only the parameter k which is the relative magnitude of subjects' errors.

Let us now turn to MV where we have:

$$MV: W(\mathbf{p}) - W(\mathbf{q}) + \varepsilon = W(p) - W(q) = v \sum_{i=1}^n p_i x_i + w \sum_{i=1}^n \left(p_i (x_i - \sum_{i=1}^n p_i x_i) \right)^2 - v \sum_{i=1}^n q_i x_i - w \sum_{i=1}^n \left(q_i (x_i - \sum_{i=1}^n q_i x_i) \right)^2 + \varepsilon$$

Concerning MV, we have to estimate v and w , which represent, respectively, the weight that each subject gave to the mean of the lottery and to its variance.

Finally EU:

$$EU: W(\mathbf{p}) - W(\mathbf{q}) + \varepsilon = \sum_{i=1}^n p_i u(x_i) - \sum_{i=1}^n q_i u(x_i) + \varepsilon.$$

For EU, we estimated $u(x_i)$, we normalised $u(x_i)$ to zero, and the variance of the error term to one.

Under this procedure a subject who makes relatively small errors will have relatively large values for $u(x_i)$ whereas a subject who makes relatively large errors will have relatively small values for $u(x_i)$.

4. The estimation results

The first question we are trying to address is which – RN, MV, and EU – of the various preference functionals best explain subjects' behaviour. A very natural way to compare the performances of our three preference functionals is ranking them according to the Akaike Information Criterion (AIC). This is a measure of goodness of fit, which takes into account the model parsimony.

In table 2, it is reported the frequency of ranking first, second or third by the three models according the AIC⁴.

	RN			MV			EU		
	1	2	3	1	2	3	1	2	3
Set 1	0	0	53	3	50	0	50	3	0
Set 2	0	0	53	5	48	0	48	5	0
Set 3	0	0	53	6	47	0	47	6	0
Set 4	0	0	53	4	49	0	49	4	0
Set 5	0	1	52	4	49	0	52	0	1

Table 2: frequency of ranking first, second or third according the AIC

Looking at table 2 we have a very clear picture: EU performs better than its challengers. At this stage, we can conclude that according to the AIC, we have to prefer EU to MV. The strength of this kind of analyses is that it gives us a complete ranking of the preference functionals, but it does not help us to answer our second question: how much one preference functional is better than the other one. To investigate this particular aspect, we can analyse the log-likelihood value. This value gives us the probability that a preference functional fits correctly the subject actual preferences, but it is not correct for the degree of freedom (that is, it does not penalize for the number of parameters).

⁴ When we calculated the average rankings two models got the same rank if they performed identically. If, for example, two models have the highest Akaike criterion, they both get the first rank and the next model gets rank three. For this reason the average of the average ranks may differ from the rank average.




Figure 2:

In figure 2 we report the box plot of the estimated log-likelihood. As we can see EU performs roughly the 10% better than MV. Since RN performs particularly poor from now on we will concentrate our attention only on MV and EU.

In table 5 is reported the frequency of the difference between the likelihood value of EU and the likelihood value of MV.

	up to 1%	1%-5%	5%-10%	10%-15%	more than 15%
Set 1	28.30	32.08	28.30	7.55	3.77
Set 2	24.53	43.40	20.75	7.55	3.77
Set 3	30.19	35.85	24.53	9.43	0.00
Set 4	24.53	45.28	28.30	0.00	1.89
Set 5	35.85	28.30	30.19	3.77	1.89

Table 5: likelihood of EU – likelihood of MV

From this table, we have again a clear picture of the superiority of EU, but more important, it gives us an indication on the loss of accuracy we have to be ready to accept if we use MV instead of EU.

This kind of analysis is only a statistical one, and even that we reach some important conclusion on the superiority of EU with respect to MV and the loss of accuracy. But we are interested also in some economics analysis to measure the accuracy loss. One way of answering this is the following. We can evaluate the distance between the real subjects' preferences and the estimated one. But unfortunately, it is not obvious how to define a distance function. Should we consider only the number of times that the estimated preference does not match with the actual preference or should we consider also the magnitude of the errors. It seems that the harmless mechanism should be counting how many mistakes are produced by a particular preference functional in the prediction of actual behaviour. In figure 3 we reported the difference between the mistakes produced by MV and the mistakes produced by EU. For less then the 20% of our subject pool MV performs better or equally to EU.




Figure 3

In table 6 is reported the percentage of ratio between the number of times EU's prediction is different from the actual subject preference and the number of times MV's prediction is different from the subject actual preference.

	up to 1	1-1.5	1.5-2	2-2.5	more than 2.5
Set 1	18.87%	35.85%	30.19%	5.66%	9.43%
Set 2	11.32%	39.62%	26.42%	3.77%	18.87%
Set 3	24.53%	30.19%	20.75%	15.09%	9.43%
Set 4	16.98%	37.74%	32.08%	3.77%	9.43%
Set 5	16.98%	41.51%	13.21%	15.09%	13.21%

Table 9: ratio between the number of times EU's prediction is different from the actual subject preference and the number of times MV's prediction is different from the subject actual preference

From this table it is clear that MV performances are not particularly good. In fact, only in 18-25% of the cases, its performance is better than EU. It is particularly surprising that 10-19% of the subjects using MV instead of EU will produce an error more than 2.5 times bigger.

A formal comparison of EU and MV is not straightforward, since these two models are non-nested. For the purpose of this comparison, we make use of Vuong's (1989) non-nested likelihood ratio test (Z)⁵. As proved by Vong Z is distributed as a standard normal distribution, and a significantly positive value of Z indicate that EU is closer to the true data generating process than MV (while a significantly negative value of Z indicate that MV is closer to the true data generating process than EU). In table 10 are reported the Z statistics for the five repetitions.

	Set1	Set2	Set3	Set4	Set5
Z	5.039103	4.913833	4.336087	4.821314	4.596744

Table 10: Vuong's non-nested likelihood ratio test (Z)

According to the Vuong's non-nested likelihood ratio test (Z) we can accept the hypothesis that EU performs better than MV.

⁵ For a more detailed explanation of the Vuong's test see Loomes et al. (2002)

5. Conclusion

This article produces two important results, one in the experimental field and the other in the financial one. On one hand, it covers the gap in the literature of decision under risk comparing the Expected Utility Theory with Mean-Variance Theory.

In terms of best-fitting preference functional EU emerges to perform better than its challenger. On the other hand, it suggests that the loss of accuracy using MV instead of EU in terms of fitting is generally low (for more than 50% of the subjects it is less than 5%). But from a non statistical analysis, we learned that it is dangerous to use MV instead of EU because 10-19% of the subjects using MV instead of EU will produce an error more than 2.5 times bigger.

References

- Harless and Camerer (1994), The Predictive Utility of Generalized Expected Utility Theories, *Econometrica*, 62: 1251-1289.
- Hey, J. D. (1995). "Experimental investigations of error in decision making under risk." *European Economic Review*, 39:633-640.
- Hey, J. D. (2001). "Does repetition improve consistency?" *Experimental Economics*, 4(1)5-54.
- Hey, J. D. and Orme, C. D. (1994). "Investigating generalizations of expected utility theory using experimental data." *Econometrica*, 62:1291-1326.
- Kroll, Y., Levy, H and Markowitz, H. (1984). "Mean-Variance versus direct utility maximization." *Journal of Finance*, 39:47-62.
- Levy, H. and Markowitz, H. (1979). "Approximating expected utility by function of mean and variance." *American Economic Review*, 69:308-319.
- Loomes, G. C., Moffatt, P. G., and Sugden, R. (2002) "A Microeconomic Test of Alternative Stochastic Theory of Risky Choice" *The Journal of Risk and Uncertainty* 24:2, 103-130.
- Markowitz, H.M. (1952), "Portfolio Selection," *Journal of Finance*, 77-91.
- Sharpe, W.F. (1964), "Capital Asset Prices: A Theory of Market Equilibrium Under Conditions of Risk," *Journal of Finance*, 19, 425-442.
- Tobin, J. (1958), "Liquidity Preferences as Behavior Towards Risk," *Review of Economic Studies*, 25, 65-87.
- von Neumann, J., and Morgenstern O., (1944), *Theory of games and economic behavior*, Princeton University Press.
- Vuong Q., (1989) "Likelihood Ratio Test for Model Selection and Non-Nested Hypotheses", *Econometrica* 57 307-333.